



FLEXIPORT





COMPLETELY MODULAR

The dock can be easily adapted to the size and weight of your boat by adding additional rows of cubes to the outside of the structure.



EASY TO ASSEMBLE

The SunnyDock cubes are equipped with four corner tabs at different heights enabling them to be linked together using connecting pins and tightened with a locking key.



100% CUSTOMIZABLE

The incredibly simple design of the modular floating cubes means that they can be used with a wide variety of anchors and accessories.

PiEmme srls

Sede Operativa: Via Dei Carpentieri, 41 cap: 55041

Z. Ind. "Le Bocchette" - Camaiore (LU)- ITALY

Ph: +39 0584 18.40.115 - +39 349 69.50.184

web: www.pontili-galleggianti.com - www.piemme-italia.com

mail: info@piemme-italia.com

P.IVA: IT 02344710468 - Cod. Univoco KRRH6B9






OUR FLEXIPOINT DRIVE-ON DOCK MAKES IT EASY BOTH TO DRY MOOR AND LAUNCH YOUR BOAT. IT EASILY ADAPTS TO THE WEIGHT AND SIZE OF ANY VESSEL.

Our drive-on dock makes it easy both to dry moor and launch your boat. It is composed of 50 cm x 50 cm x 40 cm modular floating cubes and cradles equipped with horizontal rollers.


These support cradles hold the hull of the boat or rib.

To facilitate lifting your boat onto the dock, the entry cradle has a "V shaped" notch with an additional roller at the start. You can get right onto the platform simply using your engine power.



CHARACTERISTICS

- Easy dry berthing and launch
- Easy access to your boat
- No more need for anti-fouling (saving money and the environment)
- Low-maintenance
- Can be used for overwintering
- Fits all types of boat
- Range of anchoring systems and accessories



INSTALLATION TOOLS AND ACCESSORIES



Locking key



Connecting pin



Coupler
key



Coupler set



Polythene dock cleat



High-resistance
galvanized steel cleat



2-tab fender



Polyethylene
ladder



Tripod winch

The Flexiport drive-on dock is composed of 50 cm x 50 cm x 40 cm modular floating cubes and support cradles equipped with horizontal rollers.



SunnyDock floating cubes



Entry cradle



Central support cradle

The fully modular design enables any configuration to be used.

ANCHORING on wood or concrete docks



Galvanized steel
bracket



L-shaped dock
connector



T-shaped dock
connector




Mooring ring



ANCHORING to mooring rings with chains or lines



FLEXIPORT 450



REF.	Q	DESCRIPTION
SDS-02520 - BJ	1	Entry part Flexiport - 50 x 100 x 40cm
SDS-02420-BJ	5	Body part Flexiport with central rolls - 50 x 100 x 40cm
SDS-01060 - BJ	4	Single cube PEHD with low freeboard 50 x 50 x 25cm - beige
SDS-01010 - BJ	20	Single cube PEHD 50 x 50 x 40cm - beige
SDS-07000-BJ	18	Connecting pin - beige
SDS-07400	21	Screw + nut (no washer)
SDY-14022-W	8	Double washer - white
SDS-07200	1	Locking key for cubes
SDS-17300	1	Key for screws

PiEmme srls

Sede Operativa: Via Dei Carpentieri, 41 cap: 55041

Z. Ind. "Le Bocchette" - Camaiore (LU)- ITALY


Ph: +39 0584 18.40.115 - +39 349 69.50.184

web: www.pontili-galleggianti.com - www.piemme-italia.com

mail: info@piemme-italia.com

P.IVA: IT 02344710468 - Cod. Univoco KRRH6B9

FLEXIPORT 450 PLUS



REF.	Q	DESCRIPTION
SDS-02520 - BJ	1	Entry part Flexiport - 50 x 100 x 40cm
SDS-02420-BJ	5	Body part Flexiport with central rolls - 50 x 100 x 40cm
SDS-01040 - BJ	17	Double cube PEHD 50 x 100 x 40cm - beige
SDS-01050-BJ	4	Double cube PEHD with low freeboard 50 x 100 x 25cm - beige
SDS-07000-BJ	34	Connecting pin - beige
SDS-07400	17	Screw + nut (no washer)
SDY-14022-W	26	Double washer - white
SDS-07200	1	Locking key for cubes
SDS-17300	1	Key for screws

PiEmme srls

Sede Operativa: Via Dei Carpentieri, 41 cap: 55041

Z. Ind. "Le Bocchette" - Camaiore (LU)- ITALY


Ph: +39 0584 18.40.115 - +39 349 69.50.184

web: www.pontili-galleggianti.com - www.piemme-italia.com

mail: info@piemme-italia.com

P.IVA: IT 02344710468 - Cod. Univoco KRRH6B9

FLEXIPORT 500



REF.	Q	DESCRIPTION
SDS-02520 - BJ	1	Entry part Flexiport - 50 x 100 x 40cm
SDS-02420-BJ	6	Body part Flexiport with central rolls - 50 x 100 x 40cm
SDS-01060 - BJ	4	Single cube PEHD with low freeboard 50 x 50 x 25cm - beige
SDS-01010 - BJ	22	Single cube PEHD 50 x 50 x 40cm - beige
SDS-07000-BJ	20	Connecting pin - beige
SDS-07400	23	Screw + nut (no washer)
SDY-14022-W	10	Double washer - white
SDS-07200	1	Locking key for cubes
SDS-17300	1	Key for screws

PiEmme srls

Sede Operativa: Via Dei Carpentieri, 41 cap: 55041

Z. Ind. "Le Bocchette" - Camaiore (LU)- ITALY


Ph: +39 0584 18.40.115 - +39 349 69.50.184

web: www.pontili-galleggianti.com - www.piemme-italia.com

mail: info@piemme-italia.com

P.IVA: IT 02344710468 - Cod. Univoco KRRH6B9

FLEXIPORT 500 PLUS



REF.	Q	DESCRIPTION
SDS-02520-BJ	1	Entry part Flexiport - 50 x 100 x 40cm
SDS-02420-BJ	6	Body part Flexiport with central rolls - 50 x 100 x 40cm
SDS-01040-BJ	19	Double cube PEHD 50 x 100 x 40cm - beige
SDS-01050-BJ	4	Double cube PEHD with low freeboard 50 x 100 x 25cm - beige
SDS-07000-BJ	38	Connecting pin - beige
SDS-07400	19	Screw + nut (no washer)
SDY-14022-W	29	Double washer - white
SDS-07200	1	Locking key for cubes
SDS-17300	1	Key for screws

PiEmme srls

Sede Operativa: Via Dei Carpentieri, 41 cap: 55041

Z. Ind. "Le Bocchette" - Camaiore (LU)- ITALY


Ph: +39 0584 18.40.115 - +39 349 69.50.184

web: www.pontili-galleggianti.com - www.piemme-italia.com

mail: info@piemme-italia.com

P.IVA: IT 02344710468 - Cod. Univoco KRRH6B9

FLEXIPORT 550



REF.	Q	DESCRIPTION
SDS-02520-BJ	1	Entry part Flexiport - 50 x 100 x 40cm
SDS-02420-BJ	7	Body part Flexiport with central rolls - 50 x 100 x 40cm
SDS-01060-BJ	4	Single cube PEHD with low freeboard 50 x 50 x 25cm - beige
SDS-01010-BJ	24	Single cube PEHD 50 x 50 x 40cm - beige
SDS-07000-BJ	22	Connecting pin - beige
SDS-07400	25	Screw + nut (no washer)
SDY-14022-W	12	Double washer - white
SDS-07200	1	Locking key for cubes
SDS-17300	1	Key for screws

PiEmme srls

Sede Operativa: Via Dei Carpentieri, 41 cap: 55041

Z. Ind. "Le Bocchette" - Camaiore (LU)- ITALY


Ph: +39 0584 18.40.115 - +39 349 69.50.184

web: www.pontili-galleggianti.com - www.piemme-italia.com

mail: info@piemme-italia.com

P.IVA: IT 02344710468 - Cod. Univoco KRRH6B9

FLEXIPORT 550 PLUS



REF.	Q	DESCRIPTION
SDS-02520-BJ	1	Entry part Flexiport - 50 x 100 x 40cm
SDS-02420-BJ	7	Body part Flexiport with central rolls - 50 x 100 x 40cm
SDS-01040-BJ	21	Double cube PEHD 50 x 100 x 40cm - beige
SDS-01050-BJ	4	Double cube PEHD with low freeboard 50 x 100 x 25cm - beige
SDS-07000-BJ	42	Connecting pin - beige
SDS-07400	21	Screw + nut (no washer)
SDY-14022-W	32	Double washer - white
SDS-07200	1	Locking key for cubes
SDS-17300	1	Key for screws

PiEmme srls

Sede Operativa: Via Dei Carpentieri, 41 cap: 55041

Z. Ind. "Le Bocchette" - Camaiore (LU)- ITALY


Ph: +39 0584 18.40.115 - +39 349 69.50.184

web: www.pontili-galleggianti.com - www.piemme-italia.com

mail: info@piemme-italia.com

P.IVA: IT 02344710468 - Cod. Univoco KRRH6B9

FLEXIPORT 600



REF.	Q	DESCRIPTION
SDS-02520-BJ	1	Entry part Flexiport - 50 x 100 x 40cm
SDS-02420-BJ	8	Body part Flexiport with central rolls - 50 x 100 x 40cm
SDS-01060-BJ	4	Single cube PEHD with low freeboard 50 x 50 x 25cm - beige
SDS-01010-BJ	26	Single cube PEHD 50 x 50 x 40cm - beige
SDS-07000-BJ	24	Connecting pin - beige
SDS-07400	27	Screw + nut (no washer)
SDY-14022-W	14	Double washer - white
SDS-07200	1	Locking key for cubes
SDS-17300	1	Key for screws

PiEmme srls

Sede Operativa: Via Dei Carpentieri, 41 cap: 55041

Z. Ind. "Le Bocchette" - Camaiore (LU)- ITALY


Ph: +39 0584 18.40.115 - +39 349 69.50.184

web: www.pontili-galleggianti.com - www.piemme-italia.com

mail: info@piemme-italia.com

P.IVA: IT 02344710468 - Cod. Univoco KRRH6B9

FLEXIPORT 600 PLUS



REF.	Q	DESCRIPTION
SDS-02520-BJ	1	Entry part Flexiport - 50 x 100 x 40cm
SDS-02420-BJ	8	Body part Flexiport with central rolls - 50 x 100 x 40cm
SDS-01040-BJ	23	Double cube PEHD 50 x 100 x 40cm - beige
SDS-01050-BJ	4	Double cube PEHD with low freeboard 50 x 100 x 25cm - beige
SDS-07000-BJ	46	Connecting pin - beige
SDS-07400	18	Screw + nut (no washer)
SDY-14022-W	35	Double washer - white
SDS-07200	1	Locking key for cubes
SDS-17300	1	Key for screws

PiEmme srls

Sede Operativa: Via Dei Carpentieri, 41 cap: 55041

Z. Ind. "Le Bocchette" - Camaiore (LU)- ITALY


Ph: +39 0584 18.40.115 - +39 349 69.50.184

web: www.pontili-galleggianti.com - www.piemme-italia.com

mail: info@piemme-italia.com

P.IVA: IT 02344710468 - Cod. Univoco KRRH6B9

FLEXIPORT 650



REF.	Q	DESCRIPTION
SDS-02520-BJ	1	Entry part Flexiport - 50 x 100 x 40cm
SDS-02420-BJ	9	Body part Flexiport with central rolls - 50 x 100 x 40cm
SDS-01040-BJ	23	Double cube PEHD 50 x 100 x 40cm - beige
SDS-01050-BJ	6	Double cube PEHD with low freeboard 50 x 100 x 25cm - beige
SDS-07000-BJ	50	Connecting pin - beige
SDS-07400	28	Screw + nut (no washer)
SDY-14022-W	38	Double washer - white
CDS-02310	1	winch support
SDS-07200	1	Locking key for cubes
SDS-17300	1	Key for screws

PiEmme srls

Sede Operativa: Via Dei Carpentieri, 41 cap: 55041

Z. Ind. "Le Bocchette" - Camaiore (LU)- ITALY


Ph: +39 0584 18.40.115 - +39 349 69.50.184

web: www.pontili-galleggianti.com - www.piemme-italia.com

mail: info@piemme-italia.com

P.IVA: IT 02344710468 - Cod. Univoco KRRH6B9

FLEXIPORT 700



REF.	Q	DESCRIPTION
SDS-02520-BJ	1	Entry part Flexiport - 50 x 100 x 40cm
SDS-02420-BJ	10	Body part Flexiport with central rolls - 50 x 100 x 40cm
SDS-01040-BJ	25	Double cube PEHD 50 x 100 x 40cm - beige
SDS-01050-BJ	6	Double cube PEHD with low freeboard 50 x 100 x 25cm - beige
SDS-07000-BJ	54	Connecting pin - beige
SDS-07400	30	Screw + nut (no washer)
SDY-14022-W	40	Double washer - white
BEL-TR-2200	1	Winch with stainless steel support - max 2200kg
SDS-07200	1	Locking key for cubes
SDS-17300	1	Key for screws

PiEmme srls

Sede Operativa: Via Dei Carpentieri, 41 cap: 55041

Z. Ind. "Le Bocchette" - Camaiore (LU)- ITALY


Ph: +39 0584 18.40.115 - +39 349 69.50.184

web: www.pontili-galleggianti.com - www.piemme-italia.com

mail: info@piemme-italia.com

P.IVA: IT 02344710468 - Cod. Univoco KRRH6B9

FLEXIPORT 750



REF.	Q	DESCRIPTION
SDS-02520-BJ	1	Entry part Flexiport - 50 x 100 x 40cm
SDS-02420-BJ	11	Body part Flexiport with central rolls - 50 x 100 x 40cm
SDS-01040-BJ	27	Double cube PEHD 50 x 100 x 40cm - beige
SDS-01050-BJ	6	Double cube PEHD with low freeboard 50 x 100 x 25cm - beige
SDS-07000-BJ	58	Connecting pin - beige
SDS-07400	32	Screw + nut (no washer)
SDY-14022-W	42	Double washer - white
BEL-TR-2200	1	Winch with stainless steel support - max 2200kg
SDS-07200	1	Locking key for cubes
SDS-17300	1	Key for screws

PiEmme srls

Sede Operativa: Via Dei Carpentieri, 41 cap: 55041

Z. Ind. "Le Bocchette" - Camaiore (LU)- ITALY


Ph: +39 0584 18.40.115 - +39 349 69.50.184

web: www.pontili-galleggianti.com - www.piemme-italia.com

mail: info@piemme-italia.com

P.IVA: IT 02344710468 - Cod. Univoco KRRH6B9

FLEXIPORT 800



REF.	Q	DESCRIPTION
SDS-02520-BJ	1	Entry part Flexiport - 50 x 100 x 40cm
SDS-02420-BJ	12	Body part Flexiport with central rolls - 50 x 100 x 40cm
SDS-01040-BJ	29	Double cube PEHD 50 x 100 x 40cm - beige
SDS-01050-BJ	6	Double cube PEHD with low freeboard 50 x 100 x 25cm - beige
SDS-07000-BJ	62	Connecting pin - beige
SDS-07400	34	Screw + nut (no washer)
SDY-14022-W	44	Double washer - white
BEL-TR-2200	1	Winch with stainless steel support - max 2200kg
SDS-07200	1	Locking key for cubes
SDS-17300	1	Key for screws

PiEmme srls

Sede Operativa: Via Dei Carpentieri, 41 cap: 55041

Z. Ind. "Le Bocchette" - Camaiore (LU)- ITALY


Ph: +39 0584 18.40.115 - +39 349 69.50.184

web: www.pontili-galleggianti.com - www.piemme-italia.com

mail: info@piemme-italia.com

P.IVA: IT 02344710468 - Cod. Univoco KRRH6B9

FLEXIPORT 850



REF.	Q	DESCRIPTION
SDS-02520-BJ	1	Entry part Flexiport - 50 x 100 x 40cm
SDS-02420-BJ	13	Body part Flexiport with central rolls - 50 x 100 x 40cm
SDS-01040-BJ	31	Double cube PEHD 50 x 100 x 40cm - beige
SDS-01050-BJ	6	Double cube PEHD with low freeboard 50 x 100 x 25cm - beige
SDS-07000-BJ	66	Connecting pin - beige
SDS-07400	36	Screw + nut (no washer)
SDY-14022-W	46	Double washer - white
BEL-TR-2200	1	Winch with stainless steel support - max 2200kg
SDS-07200	1	Locking key for cubes
SDS-17300	1	Key for screws

PiEmme srls

Sede Operativa: Via Dei Carpentieri, 41 cap: 55041

Z. Ind. "Le Bocchette" - Camaiore (LU)- ITALY


Ph: +39 0584 18.40.115 - +39 349 69.50.184

web: www.pontili-galleggianti.com - www.piemme-italia.com

mail: info@piemme-italia.com

P.IVA: IT 02344710468 - Cod. Univoco KRRH6B9

FLEXIPORT 900



REF.	Q	DESCRIPTION
SDS-02520- BJ	1	Entry part Flexiport - 50 x 100 x 40cm
SDS-02420-BJ	14	Body part Flexiport with central rolls - 50 x 100 x 40cm
SDS-01040-BJ	33	Double cube PEHD 50 x 100 x 40cm - beige
SDS-01050-BJ	6	Double cube PEHD with low freeboard 50 x 100 x 25cm - beige
SDS-07000-BJ	70	Connecting pin - beige
SDS-07400	38	Screw + nut (no washer)
SDY-14022-W	48	Double washer - white
BEL-TR-2200	1	Winch with stainless steel support - max 2200kg
SDS-07200	1	Locking key for cubes
SDS-17300	1	Key for screws

PiEmme srls

Sede Operativa: Via Dei Carpentieri, 41 cap: 55041

Z. Ind. "Le Bocchette" - Camaiore (LU)- ITALY

Ph: +39 0584 18.40.115 - +39 349 69.50.184

web: www.pontili-galleggianti.com - www.piemme-italia.com

mail: info@piemme-italia.com

P.IVA: IT 02344710468 - Cod. Univoco KRRH6B9



PiEmme srls



+39 0 584 18 40 115
+39 349 69 50 184

www

www.pontili-galleggianti.com
www.piemme-italia.com
info@piemme-italia.com



Via Dei Carpentieri nr 41
Z. Industriale "Le Bocchette"
55041 - Camaiore (LU) - Italy